TECHNICAL STATUS FOR ELECTRIC STORE ITEMS A22 FOR FY 2023-24

80	07	06		05		04	03		02		01		T/E No
Wire 40/76 Copper	Wire 70/76 Copper full gaugePVC1.5mmTwo Core	Wire3/29,CopperfullgaugePVC1.5 mmSingleCore		Wire7/29,CopperfullgaugePVC2.5 mmSingleCore		Wire 23/076 copper fullgauge6mmPVCtwocore	Wire7/052copperfullgauge6mmP VCtwocore		Wire 7/044 copper full gauge 6mm PVC single core		Wire7/036 copper full gauge PVC 4mm single core		Name of Item
M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s Mian Enterprises	M/s WH Traders	M/s Mian Enterprises	M/s WH Traders	M/s WH Traders	M/s Mian Enterprises	M/s WH Traders	M/s Mian Enterprises	M/s WH Traders		Name of Bidder
Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Part B	TECHNICAL STATUS RESPONSIVE / NON RESPONSIVE IN CASE OF FAILURE MENTION REASON OF REJECTION
Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Part A	TATUS / NON / CASE OF ENTION LIECTION
Responsive	e Responsive	Responsive	Responsive	Non Responsive sample Not Provided	Responsive	Non Responsive sample Not Provided	Responsive	Responsive	Non Responsive sample Not Provided	Responsive	Non Responsive sample Not Provided	OF REJECTION	Technical Status Part C RESPONSIVE / NON RESPONSIVE IN CASE OF FAILURE MENTION REASON
Responsive	Responsive	Responsive	Responsive	Non Responsive sample Not Provided	Responsive	Non Responsive sample Not Provided	Responsive	Responsive	Non Responsive sample Not Provided	Responsive	Non Responsive sample Not Provided		FINAL RECOMMENDATI ON RESPONSIVE / NON RESPONSIVE

The Yourd & Rend of R. R.

31 4 CoreWire	30 4C	29	28	27	26	25	24	23	22	.21	20	19	18	17	16	15	14	13	12	=	10		
4 CoreWire	40	1	+		1			1									-		The second			1	
4 CoreWire120MM (Copper)	4CoreWire50MM (Copper)	4CoreWire16MM (Copper)	SMDLight12WattSize6"	SMDLight12WattSize4"	Wire110/76 three core	Multi Light Plug	Multi Power Plug	Shoe Two Pin	Piano Switch On/Off	Socket2 Pin	Extension lead All sizes	holder (with one year warranty)	holder(with one year warranty)	DuctPatti2 1/2" 10Ft	DuctPatti1"10Ft	DuctPatti3/4"10Ft	FanCapacitor, 3.5uf	Pannel Type ABB. (Circuit Breaking 15 Amps to 30Amp.Singlephase)	Moldedcasecircuitbreaker3phase1 00amps	Molded case circuit breaker 3phase60amps	Molded case circuit breaker 3phase30amps	Insulation tape plastic large size	fullgaugePVC1.5mmTwo Core
M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	M/s WH Traders	
Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	
Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	
Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	
Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	. Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	
THE CANAL OF THE C	M/s WH Traders Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive Responsive	M/s WH Traders M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive	M/s WH Traders M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive Responsive Responsive Responsive	M/s WH Traders M/s WH Traders Responsive Responsive	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive	M/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsive	M/s WH TradersResponsiveResponsiveResponsiveM/s WH TradersResponsiveResponsiveResponsive	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive Responsive M/s WH Traders Responsive Responsive	M/s WH Traders M/s WH Traders M/s WH Traders Responsive Responsive M/s WH Traders Responsive Responsive	M/s WH Traders Responsive Responsive M/s WH Traders Responsive Responsive	M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive h M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive Responsive Responsive M/s WH Traders Responsive Responsive M/s WH Traders Responsive Responsive Responsive Responsive Responsive Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive Responsive Responsive	M/s WH Traders Responsive Responsive	M/s WH Traders Responsive Responsive	M/s WH Traders M/s WH Traders Responsive Responsive	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive R	M/s WH Traders Responsive Responsive Responsive M/s WH Traders Responsive R

Lar of Kand I we per &

Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Brass Rod	08
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Cooper Rod	50
Responsive	Responsive	Responsive	Responsive	M/s WH 1 raders	Evaporator Silver All size	57
Responsive	Responsive	Responsive	Responsive	M/s WH Iraders	I hermo Stat Switch	22
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Condenser 1/4 1/5 1/6 1/7 1/8 1/10	25
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Piston Compressor 02 Ton	5 23
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Piston Compressor 1.5 Ton	52
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Piston Compressor 01 Ton	2
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Rotary Compressor 02 Ton	50
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Rotary Compressor 1.5 Ton	49
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Rotary Compressor 01 Ton	\$
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Over load Electronic 1/8 1/6 1/5	47
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Gas R 410	46
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Quail Relay , 1/8 1/6 1/5 1/4	45
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Wire//29,CopperfullgaugePVC2. 5mm Two Core	44
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Switch Plate with box all sizes	43
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	CeilingHolder4"	42
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	CeilingHolder6"	41
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Three Pin Show Procline20Amp	40
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Search Light Glass 2000 W440Volt	39
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Search Light Glass 1000W 220Volt	38
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Search Light Engnater2000W 440Volt	37
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Search Light Engnater 1000W 220Volt	36
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Search Light Chowk 2000W 440Volt	35
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	SeearchLightChowk1000W 220Volt	4
Responsive	Kesponsive	Responsive	Responsive	M/s WH Traders	2000WLamp440Volt	1

Ties of your to the Re

	Domini	Responsive	Kesponsive	STRUET LIAM SAM	TO DO CHOIC DOO INTOIS! COPPE!	3
Responsive	Responsive	L	Responsive	M/s WIT Traders	RG 06 Cable 300 Meter Compet	9 8
Responsive	Responsive	Kesponsive	vesbousive	M/s WILL Traders	RG 59 Cable 90 Meter Conner	89
Kesponsive	Kesponsive	+	Domono	M/s WH Traders	Gas Cylender R 22 for AC france	88
vesbousive	Populary	Responsive	Responsive	M/s WH Traders	Tool Bags Electrician	87
Domonius	Responsive	Responsive	Responsive	M/s WH Traders	Wooden Cross arm	86
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Safety Shoes for line man B/Q	8 8
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	HI Tape II KV	40
Responsive	Responsive	Responsive	Responsive	M/S WH Iraders	r :3 Clump z bolts	0 0
Responsive	Responsive	Responsive	Kesponsive	M/ WITT 1	P.G.Chimp 3 bolts	2 1
Responsive	Responsive	Responsive	Kesponsive	M/S WHI Traders	P.G. Clump 3 holts	8
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Electric Pole 35 feat	8 8
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Type	_
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Stool Story Will Toy O. D.	70 All
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Administration Conductor Dog H. I	
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	S. Step insulator for L1 Line	77 77
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Eye Nut LT Side	+
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Eye Nut 11 KV Side	-
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Folding Stair 08 Ft	
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Folding Staier10 Ft	+
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Drill Machine Hilti 1200 Watt	Dri
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Baang	1
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Pipe Wrench	+
Responsive	Responsive	Responsive	Responsive	M/s WH Traders	Gauge Line Low / High Pressure	Gauge
Responsive	Responsive	Responsive		M/s WH Traders	Wire Cutter Top Tool	
Responsive	Responsive	Responsive		M/s WH Traders	Player Top Tool	S See
Responsive	Responsive	Responsive		M/s WH Traders	Goti Set	
Responsive	Responsive	Responsive		M/s WH Traders	Screw Driver Flat	
Responsive	Responsive	Responsive	ive	M/s WH Traders	Tong Tester	
Responsive	Responsive	Responsive	ve	M/s WH Traders	Tube Cutter Large	
Responsive	Responsive	Responsive		M/s WH Traders	Tube Cutter Small	
Responsive	Responsive	Responsive		M/s WH Traders	Flay ring Tool Kit	i i
responsive	Nesponsi	Kesponsive	Kesponsive	M/s WH liaders	Cooper 1 100 3/0 /4 /2 /4 3/0	Cool

I St St Sterned to St. St.

		M/s Mian Enterprises	SR FIRM NAME NO M/s WH Traders	BNC Cable Power Supply 02 Amp 05 Amp 10 Amp
Dr. Asad Abbas Shah PMO Rehabilitation Department (Chairman) Technical Evaluation Committee	Ch. Abdūl Ghaffar Incharge MIR Workshop (Member) Ms. Aniqa Amin Hospital Pharacist (Member) Dr. Mammad Basit Dr. Member)	Responsive in all quoted except T/E 01,02,04 & 05. Responsive in all quoted items	FINAL RECOMMENDATION STA	M/s WH Traders M/s WH Traders M/s WH Traders
nin artme	Deputy Chief Nursing Superintendent (DCNS) (Member) (Member) Dr Zain Ul Abida DMS (Member) Ms. Kanwal Javaid Deputy Drug Controller (Member))5.	ENDATION STATU	Responsive Responsive Responsive Responsive Responsive Responsive Responsive Responsive Responsive
				sive Responsive sive Responsive sive Responsive