

TECHNICAL EVALUATION CRITERIA (KNOCKDOWN CRITERIA)


Contract for Service & Maintenance / Repair of Lifts (with parts) installed at Various Departments of Mayo Hospital Lahore


D. PREPARATION AND SUBMISSION OF E-BIDS


13	2.1.3 & 2.5.8	TECHNICAL EVALUATION CRITERIA			
		i. (Knockdown Criteria) The e-bidder must comply with all the mandatory parameters. In case of non-compliance of any mandatory parameter, the bidder shall be declared as non-responsive .			
		REQUIREMENTS	M/s Elevator Express	M/s Samcon	M/s Iceberg Industries
		a) The E-bidder shall be a legally registered entity with the formal intent to enter into an agreement.	Attached	Attached	Not Attached
		b) The e-bidder shall provide the registration certificate of the Firm with Pakistan Engineering Council (PEC).	Attached (Expired)	Attached (Expired)	Not Attached
		c) The e-bidder must have at least three years' experience as a legally approved Lifts Services provider	Attached	Attached	Not Attached
		d) The E-bidder must be an active income tax payer.	Attached	Attached	Not Attached
		e) The E-bidder must have active National Tax Number (NTN), Punjab Sales Tax (PST) Number with documentary proof.	Attached	Attached	Not Attached
		f) The E-bidder shall have a valid registration with EOBI and PESSI /IESSI.	Attached	EOBI (Not Attached) PESSI (Attached)	Not Attached
		g) E-bidder who is barred / blacklisted or disqualified by the Procuring Agency would not be eligible to submit the e-bid. The E-bidder shall submit an undertaking in this regard on legal stamp paper.	Attached	Attached	Not Attached
		h) The copy of the E-bidding Document shall be duly signed, stamped on each page and submitted by the e-bidder.	Attached	Attached	Attached (Not Signed)
		i) Past Performance	Attached	Attached	Not Attached


- Note:**
1. **M/S Elevator Express** disqualified the knock down criteria, due to expired PEC certificate hence declared **Non-Responsive**.
 2. **M/S Samcon** disqualified the knock down criteria, due to expired PEC certificate & not-attach EOBI hence declared **Non-Responsive**.
 3. **M/S Iceberg Industries** disqualified the knock down criteria, due to attach only Bidding Documents in technical Bid hence declared **Non-Responsive**.


Mr. Azam Ali
Line Superintendent
(Member)


Dr. Maha Akmal Butt
DMS (Surgical Tower)
(Member)


Mr. Umair Rashid
Bio-Medical Engineer
(Secretary)


Dr. Mimpal Singh
Associate Professor Paed Unit-II
(Member)


Dr. Athar Yousaf
PMO / AMS (Indoor)
(Chairman)