

MAYO HOSPITAL, LAHORE

No. 0341 TEC/MHL

DATED: 21-8-25


To,

The Chief Executive Officer,
Mayo Hospital, Lahore

**SUBJECT: REPORT OF TECHNICAL EVALUATION/QUALIFICATION OF TECHNICAL BIDS
REGARDING PURCHASE OF GENERAL STORE ITEMS (A18) AGAINST LETTER
VIDE NO. PC/1834-40/MH DATED 17-07-2025**

Reference to subject cited above regarding purchase of General store items
(A18) against letter vide no. PC/1834-40/MH dated 17-07-2025
technical evaluation report is hereby submitted.

Sr. No.	Tender Code	Name of Bidder	Total Bids
1.	GENERAL STORE ITEMS (A18)	1. M/s Royal Corporation 2. M/s Mian Enterprises 3. M/s Amjad Ali 4. M/s Akram Tiwana and Co 5. M/s WH Traders 6. M/S Sheikh Sons	06


Prof. Dr. Irfan Azmat Ullah Khawaja
Professor of Cardiac Surgery
(Chairman)

Technical Evaluation Summary
General Store Items

General Store Items

No.	Name of Items	Name of Bidders	Compulsory Parameters	Ordinary Parameters	Sample Status	Final Recommendation
1	Carbolic Soap Standard Size 115gm to 150gm	Amjad Ali WH Traders	Responsive Responsive	Responsive Responsive	Approved Approved	Responsive Responsive ✓
2	Lux or equivalent Soap or equivalent 75gm to 80gm	Amjad Ali WH Traders	Responsive Responsive	Responsive Responsive	Approved Not approved	Responsive Non-responsive ✓
3	Washing Powder (Surf) 1Kg Pack	Amjad Ali Sheikh Sons WH Traders	Responsive Non-responsive Responsive	Responsive Non-responsive Responsive	Approved Approved Approved	Responsive ✓ Non-responsive ✓ Responsive
4	Cleaning Powder 900 gm pack (Vim or equivalent)	Royal Corporation Sheikh Sons	Responsive Non-responsive	Responsive Non-responsive	Approved Approved	Responsive ✓ Non-responsive
5	Soda Ash 50Kg Pack	Amjad Ali Sheikh Sons	Responsive Non-responsive	Responsive Non-responsive	Approved Approved	Responsive ✓ Non-responsive
6	Caustic Soda 25Kg Pack	WH Traders Royal Corporation	Responsive Responsive	Responsive Responsive	Not provided Approved	Non-responsive Responsive ✓
7	Bleaching Powder (25 Kg Bag)	Royal Corporation Sheikh Sons	Responsive Non-responsive	Responsive Non-responsive	Approved Not approved	Responsive Non-responsive
8	Blue Neel 25KG Bag	Amjad Ali Sheikh Sons	Responsive Non-responsive	Responsive Non-responsive	Approved Approved	Responsive ✓ Non-responsive
9	Lenco	WH Traders Amjad Ali	Responsive Responsive	Responsive Responsive	Approved Approved	Responsive Responsive ✓
10	Liquid Bleach	Amjad Ali Sheikh Sons	Responsive Non-responsive	Responsive Non-responsive	Approved Approved	Responsive ✓ Non-responsive
11	Liquid Color Bleach	WH Traders Amjad Ali	Responsive Non-responsive	Responsive Non-responsive	Approved Not approved	Responsive ✓ Non-responsive
12	Dry Battery Cell Size C	WH Traders Amjad Ali	Responsive Responsive	Responsive Responsive	Not provided Approved	Non-responsive Responsive
13	Phenyl 3 Liter Pack Perfumed	Royal Corporation Sheikh Sons	Responsive Non-responsive	Responsive Non-responsive	Approved Approved	Responsive Non-responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive

Handwritten notes:
e.dus Rest of the w ✓
1 of 6

Handwritten signatures:
F. M. A.
A. S.

Bathroom Cleaning Acid 3 Liter Pack		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive ✓
		Amjad Ali	Responsive	Responsive	Approved	Responsive ✓
15	Tissue Paper Box 150x2 Ply Popup or equivalent	Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive ✓
16	Broom Coir Bamboo Sticks as per sample (50kg Bag)	Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive ✓
17	Blue Dust Bin Plastic 225 Liter two wheel with Yellow Lid	Sheikh Sons	Non-responsive	Non-responsive	Not provided	Non-responsive
		Amjad Ali	Responsive	Responsive	Not approved	Non-responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive ✓
18	Ceiling Fan 56" Pure Cooper Winding Deluxe Model or equivalent	Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive ✓
19	Bracket Fan 18" Plastic Body Pure Cooper Winding	Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive ✓
20	Exhaust Fan Plastic 10" Pure Copper Winding	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive ✓
21	Exhaust Fan Plastic 12" Pure Copper Winding	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Mian Enterprises	Responsive	Responsive	Approved	Responsive
22	Plastic Shopper 22"x24" as per sample	Akram Tiwana & Co.	Responsive	Responsive	Not approved	Non-responsive
		Sheikh Sons	Non-responsive	Non-responsive	Not approved	Non-responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive ✓
23	White Shopper 32x36 as per sample	Mian Enterprises	Responsive	Responsive	Approved	Responsive
		Akram Tiwana & Co.	Responsive	Responsive	Approved	Responsive ✓
		Sheikh Sons	Non-responsive	Non-responsive	Not approved	Non-responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
24	Red Shopper 32x36 as per sample	Mian Enterprises	Responsive	Responsive	Approved	Responsive ✓
		Akram Tiwana & Co.	Responsive	Responsive	Not approved	Non-responsive
		Sheikh Sons	Non-responsive	Non-responsive	Not approved	Non-responsive
		Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
25	Electric Heater Single Rod Length 10" 800 Watt wire 7/29 5 Mtr with 2 Pin Shoe (tetaq or equivalent)	Amjad Ali	Responsive	Responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive ✓
26	Polythene Gloves	Royal Corporation	Responsive	Responsive	Approved	Responsive ✓
		Amjad Ali	Responsive	Responsive	Not approved	Responsive
27	Boiler Chemical Liquid Water Treatment PH (14 73)+TDS (2000) Control	Mian Enterprises	Responsive	Responsive	Not approved	Non-responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive ✓

Good for Future ✓

General Store Items

29	Plastic Rubber Sleeper Size 8, 9, 10, 11 Best Quality as per sample	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
	Air Freshener 300ml (Al-Fareed) / or equivalent	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
30	Moppe Dry	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
31	Wet Moppe	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
32	Plastic Bucket 27 Ltr B/Q	Amjad Ali	Responsive	Responsive	Not approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
33	Pad Lock 50mm Original China	WH Traders	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
34	Pad Lock 38mm Original China	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
35	Plastic Lota	WH Traders	Responsive	Responsive	Approved	Responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive
36	Refilling of Fire Extinguisher DCP 6Kg	Sheikh Sons	Non-responsive	Non-responsive	Not provided	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
37	Pencil Cell	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
38	Motrin Spray 300ml or equivalent	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
39	Waste Paper Basket	Royal Corporation	Responsive	Responsive	Not approved	Non-responsive
		Sheikh Sons	Non-responsive	Non-responsive	Not approved	Non-responsive
40	Telephone Set Best Quality One Year Warranty CI	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Not provided	Non-responsive
41	Draw Wire For Telephone, Pure Copper	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Not provided	Non-responsive
42	PVC Wire 2 Amp for Telephone	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
43	Telephone Line Card	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
44	Telephone Box Rozet	Amjad Ali	Responsive	Responsive	Approved	Responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
45	Tag Print with Serial	Amjad Ali	Responsive	Responsive	Approved	Responsive



 3 of 6



General Store Items

	Tembler Glass	WH Traders	Responsive	Responsive	Approved	Responsive
	Electric Cattle	WH Traders	Responsive	Responsive	Approved	Responsive
47	Electric Cattle	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
48	SteelAlmrahsize 6x4ftx1/2	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		WH Traders	Responsive	Responsive	Not provided	Non-responsive
49	Exhaust Fan Plastic 20" Pure Copper Winding	Royal Corporation	Responsive	Responsive	Not provided	Non-responsive
		Royal Corporation	Responsive	Responsive	Approved	Responsive
50	Door Bell	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive
51	Plastic pipe Rubber Sizes 3/4 inches 1 inch	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
52	Delta Methrin (Dengue Spray)	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
53	Fipronil (Dengue Spray)	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
54	Chloroperiphas (Dengue Spray)	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
55	Zinc phosphate (Dengue Spray)	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Not provided	Non-responsive
56	Steel Wiper Stander Size AS per Sample	Amjad Ali	Responsive	Responsive	Approved	Responsive
		Sheikh Sons	Non-responsive	Non-responsive	Approved	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
57	Yellow Box Length 11" Width 8 1/2" as per sample	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Not approved	Non-responsive
58	DVR 04 channel AI-Dahua HD CVI 2 MP	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
59	DVR 08 channel AI-Dahua HD CVI 2 MP	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
60	DVR 16 channel AI-Dahua HD CVI 2 MP	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
61	DVR 32 channel AI-Dahua HD CVI 2 MP	Amjad Ali	Responsive	Responsive	Not provided	Non-responsive
		WH Traders	Responsive	Responsive	Approved	Responsive
62	CCTV Camera HCVI-2MP (Dahua)	Royal Corporation	Responsive	Responsive	Approved	Responsive
		Amjad Ali	Responsive	Responsive	Approved	Responsive

Handwritten signature

Handwritten notes:
 said rest of
 W B
 4 of 5

Total number of advertised items	78
No. of quoted items	78
No. of responsive items	12
No. of non-responsive items	06

-  **Mr. Bilal Azam**
Account Officer (Member)
-  **Mst. Maryam Iqbal**
Hospital Pharmacist (Member)
-  **Mst. Aneeqa Amin**
Hospital Pharmacist (Member)
-  **Mst. Aamna Sajid**
Hospital Pharmacist (Secretary)
-  **Mst. Komal Younas**
Hospital Pharmacist (Co-opt Member)

-  **Mst. Saja Javed**
Hospital Pharmacist (Co-opt Member)
-  **Mst. Zahab Siddar**
Hospital Pharmacist (Co-opt Member)
-  **Mr. Rana Yain**
Store Keeper (End-user)
-  **Mst. Zabida Musarat**
Nursing Superintendent (End-user)
-  **Mst. Munazza Tanvir**
Deputy Drug Controller (Member)

- Dr. Danish**
Chairman Ortho dept (End user)
-  **Dr. Ali Waheed Goraya**
Asst. Prof. of Radiotherapy (Member)
-  **Prof. Dr. Iqbal Azmat Ullah**
Professor of Cardiac Surgery (Chairman)

QDD: Please proceed as per the decisions of T&EC committee
 by 19/8/2025

Upload as per Rules

AMS (P)

 20/8/25

Dr-I

 21/8/25

TECHNICAL EVALUATION PERFORMANCE
NAME OF BIDDER: MS Royal Corporation

NO.	Documents Required	4	6	7	13	16	17	18	20	21	26	27	28	29	36	38	40	47	49	50	51	57	57	62	62	65	66	67	68	69
1	Attested Copy of Computerized National Identity Card (NIC) of authorized bidding/signatory person of the bidder	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2	N.T.N Certificate	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	G.S.T Reg. Certificate (where applicable)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	Bid Security (Estimated price as mentioned in tender documents, indicating the number, date and Bank (copy must be attached with the technical bid)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	Under Taking Certificate Regarding Black Listing on the legal stamp paper of Rs. 100/- or more	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6	Bid Validity Period of 180 days	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7	Signed terms & Conditions / Bidding Documents	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PART -A Result: (Responsive/Non-responsive)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Part -B Technical Evaluation Parameters

S. No.	Parameters	Total Marks	4	6	7	13	16	17	18	20	21	26	27	28	29	36	38	40	47	49	50	51	57	57	62	62	65	66	67	68	69	
1	Company Profile Storage Capacity 1. Other facilities: e vehicles 2. Energy resource	(10) (05) (05)	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
2	Relevant Experience (Government / Semi Government) More than 05 institutions 1. C2, 03 institutions 2. Less Than 02	(20) (10)	20	0	5	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0
3	Certificate of satisfactory past performance issued by competent Authority of relevant procuring agency for each year for last 02 years (05) More than 04 years (10)	(10)	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
4	Financial Status / Soundness: 1. Turn over i.e. Bank Account or through Bank Certificate 2. SC Value or above (20) 3. SC Value or above (10) 4. SC Value or above (05) 5. Tax Paid for the last a. Last 2 years (10) b. Last 3 years (05) c. Audit Report Company Audit Report Last 2 years (10) Last 3 years (05)	(10) (10) (05)	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
GRAND TOTAL		100	80	80	85	80	85	80	80	80	80	80	80	80	80	80	80	80	80	80	80	85	80	80	80	80	80	80	80	80	80	
QUALIFYING MARKS - 65 out of 100 (65%)		100%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PART -B Result: (Responsive/Non-responsive)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

EVALUATION OF SAMPLES AS PER ADVERTISED SPECIFICATION

NO.	NAME OF ITEMS	BRAND NAME	UNIT	SAMPLE STATUS	REMARKS
4	Cleaning powder 500 gm pack (Varn or equivalent)	suji	13	Approved	

Handwritten notes and signatures:
 P.F.D
 cell
 M S B
 J

Handwritten signature:
 S. M. D.

46	Plastic Soda 25kg Pack	-	-	-	Not provided	-
47	Bleaching Powder (25 kg Bag)	stara	1's	Approved	-	-
48	Phenyl 3 Liter Pack Perfumed	super	1's	Approved	-	-
49	Broom Coir Bamboo Sticks as per sample (50kg Bag)	salune	1's	Approved	-	-
50	Blue Dust Bin Plastic 225 Liter two wheel with yellow Lid	super tuft	1's	Approved	-	-
51	Celling Fan 56" Pure Cooper Winding Deluxe Model or equ	pak	1's	Approved	-	-
52	Exhaust Fan Plastic 10" Pure Copper Winding	pak	1's	Approved	-	-
53	Exhaust Fan Plastic 12" Pure Copper Winding	pak	1's	Approved	-	-
54	PolyThene Gloves	local royal	1's	Approved	-	-
55	Boiler Chemical liquid Water Treatment PH (14.73)+TDS(1	local royal	1's	Approved	-	-
56	Plastic Rubber Sleeper Size 8, 9, 10, 11 Best Quality As per	local royal	1's	Approved	-	-
57	Air Freshener 300ml (Al:Farred) / or equivalent	china	1's	Approved	-	-
58	Refilling of Fire Extinguisher DCP 6Kg	local royal	1's	Approved	-	-
59	Motrin Spray300ml or equivalent	mortin	1's	Approved	-	-
60	Telephone Set Best Quality One Year Warranty CLI	panasonic china	1's	Not approved	Out-of-specs	-
61	Electric Cattle	china pphilips	1's	Approved	-	-
62	Exhaust Fan Plastic 20" Pure Copper Winding	GFC	1's	Approved	-	-
63	Door Bell	china	1's	Approved	-	-
64	Plastic pipe Rubber Sizes ½ inches 1 inch	local royal	1's	Approved	-	-
65	Yellow Box Length 11" Width 8 ½" as per sample	local royal	1's	Approved	-	-
66	CCTV Camera HCVI-2MP (Dahua)	dahua	1's	Approved	-	-
67	Camera Boxes	china	1's	Approved	-	-
68	Hard Disk 500 GB (Seagate Surveillance)	seagate	1's	Approved	-	-
69	Hard Disk 1000 GB (Seagate Surveillance)	seagate	1's	Approved	-	-
70	Hard Disk 2 TB (Seagate Surveillance)	seagate	1's	Approved	-	-
71	Hard Disk 4 TB (Seagate Surveillance)	seagate	1's	Approved	-	-

Overall Recommendation:

Responsive Items	4, 7, 13, 16, 18, 20, 21, 26, 27, 28, 29, 36, 38, 47, 49, 50, 51, 57, 62, 65, 66, 67, 68, 69
Non-Responsive Items	5, 40

 **Mst. Bilal Azam**
 Account Officer (Member)


 **Mst. Maryam Iqbal**
 Hospital Pharmacist (Member)

 **Mst. Anceqa Amin**
 Hospital Pharmacist (Member)

 **Ms. Azma Sajid**
 Hospital Pharmacist (Secretary)


 **Mst. Komal Younas**
 Hospital Pharmacist (Co-opt Member)


 **Mst. Asghar Javed**
 Hospital Pharmacist (Co-opt Member)


 **Mst. Faris Siddiq**
 Hospital Pharmacist (Co-opt Member)

 **Mr. Ranab Jain**
 Store Keeper (End-user)

 **Mst. Zahida Musarat**
 Nursing Superintendent (End-user)

 **Mst. Munazza Tanvir**
 Deputy Drug Controller (Member)

 **Dr. Danish**
 Chairman (End user)

 **Dr. Ali Masood Goraya**
 Asst. Prof. of Radiotherapy (Member)

 **Prof. Dr. Shahzad Ullah**
 Professor of Cardiac Surgery (Chairman)

TECHNICAL EVALUATION PERFORMA
NAME OF BIDDER: M/S Akram Tiwana & Co.
Mian Ehsan Pirsaeed

NO.	Documents Required	22	23	24	27
1	Attested Copy of Computerized National Identity Card (CNIC) of authorized bidding signatory person of the bidder	✓	✓	✓	✓
2	N. T. N. Certificate	✓	✓	✓	✓
3	G. S. T. Reg. Certificate (where applicable)	✓	✓	✓	✓
4	Bid Security (Estimated price as mentioned in tender documents, indicating the number, date and Bank (Copy must be attached with the technical bid).	✓	✓	✓	✓
5	Under Taking Certificate Regarding Black Listing on the legal stamp paper of Rs.100/- or more	✓	✓	✓	✓
6	Bid Validity Period of 180 days.	✓	✓	✓	✓
7	Signed Terms & Conditions / Bidding Documents	✓	✓	✓	✓
	PART-A Result (Responsive/Non-responsive)	✓	✓	✓	✓

Part =B Technical Evaluation Parameters

S. No.	Parameters	Total Marks	22	23	24	27
1	Company Profile:					
	i. Storage Capacity	(10)				
	ii. other facilities i.e vehicles	(05)	15	15	15	15
	iii. Human resource	(05)				
2	Relevant Experience: (Government, Semi Government)					
	i. More than 05 Institutes	(20)	0	0	0	0
	ii. 02- 05 Institutes	(10)				
	iii. Less Than 02	(05)				

Handwritten notes:
 22 ✓
 23 ✓
 24 ✓
 27 ✓

Handwritten signature:

3	Certificate of satisfactory past performance issued by Competent Authority of relevant procuring agency for each year.						20	20	20	20	20
	For last 02 years (05)										
	More than 02 up to 04 years (10)										
	More than 04 years (20)										
	Financial Status / Soundness:										
	i. Turn over i.e. Bank Account or through Bank Certificate										
	50 Million or above (20)						20	20	20	20	20
	30 Million or above (10)										
	10 Million or above (05)										
	ii. Tax Paid for the last										
Last 3 Years = (10)						10	10	10	10	10	
Last 2 Years = (05)											
iii. Audit Report											
Company Audit Report											
Last 3 Years = (10)						10	10	10	10	10	
Last 2 Years = (05)											
GRAND TOTAL						100	75	75	75	75	
QUALIFYING MARKS = 65 out of 100 (65%)						100%	75%	75%	75%	75%	
PART-B Result (Responsive/Non-responsive)						✓	✓	✓	✓	✓	

Handwritten signature

EVALUATION OF SAMPLES AS PER ADVERTISED SPECIFICATION

NO.	NAME OF ITEMS	BRAND NAME	UNIT	SAMPLE STATUS	REMARKS
22	plastic Shopper 22"x24" as per sample	B/Q	1's	Approved	-
23	White Shopper 32x36 as per sample	B/Q	1's	Approved	-
24	Red Shopper 32x36 as per sample	B/Q	1's	Approved	-
27	Boiler Chemical Liquid Water Treatment PH (14.73)+TDS (2000) Control	B/Q	1's	Not approved	No label for identification

Overall Recommendation:

Handwritten notes and signatures:
 Approved
 [Signature]
 [Signature]

Handwritten mark

General Store Items

Responsive items	22, 23, 24
Non-Responsive items	27


Mr. Bilal Azam
 Account Officer
 (Member)


Mst. Maryam Iqbal
 Hospital Pharmacist
 (Member)


Mst. Aneeqa Amin
 Hospital Pharmacist
 (Member)


Ms. Adma Sajid
 Hospital Pharmacist
 (Secretary)


Mst. Komal Younas
 Hospital Pharmacist
 (Co-opt Member)


Mst. Saqir Javed
 Hospital Pharmacist
 (Co-opt Member)


Mst. Zainab Safdar
 Hospital Pharmacist
 (Co-opt Member)


Mr. Raha Zain
 Store Keeper
 (End-user)


Mst. Zabida Musarrat
 Nursing Superintendent
 (End-user)


Mst. Munazza Tanvir
 Deputy Drug Controller
 (Member)

Dr. Danish
 Chairman Ortho dept
 (End user)


Dr. Al-Wahheed Goraya
 Asst. Prof. of Radiotherapy
 (Member)


Prof. Dr. Irfan Azmat Ullah
 Professor of Cardiac Surgery
 (Chairman)

Member of Council of Ministers		Not provided	
Member of Council of Ministers		Not provided	
Member of Council of Ministers		Not provided	
Member of Council of Ministers		Not provided	
Member of Council of Ministers		Not provided	

Over all the members of the Council of Ministers

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Not provided																								

[Handwritten signature]
 Member of Council of Ministers
 (Member)

Over all the members of the Council of Ministers
 (Member)

Over all the members of the Council of Ministers
 (Member)

[Large handwritten signature]
 Member of Council of Ministers
 (Member)

TECHNICAL EVALUATION PERFORMANCE

NAME OF BIDDER: M/S Akram Tiwana & Co.

NO.	Documents Required	22	23	24
1	Attested Copy of Computerized National Identity Card (CNIC) of authorized bidding signatory person of the bidder	✓	✓	✓
2	N. T. N. Certificate	✓	✓	✓
3	G. S. T. Reg. Certificate (where applicable)	✓	✓	✓
4	Bid Security (Estimated price as mentioned in tender documents, indicating the number, date and Bank (Copy must be attached with the technical bid).	✓	✓	✓
5	Under Taking Certificate Regarding Black Listing on the legal stamp paper of Rs.100/- or more	✓	✓	✓
6	Bid Validity Period of 180 days.	✓	✓	✓
7	Signed Terms & Conditions / Bidding Documents	✓	✓	✓
	PART-A Result (Responsive/Non-responsive)	✓	✓	✓

Part =B Technical Evaluation Parameters

S. No.	Parameters	Total Marks	22	23	24
1	Company Profile:				
	i. Storage Capacity	(10)	20	20	20
	ii. other facilities i.e vehicles	(05)			
	iii. Human resource	(05)			
Relevant Experience:					
2	(Government, Semi Government)				
	i. More than 05 Institutes	(20)	20	0	0
	ii. 02- 05 Institutes	(10)			
	iii. Less Than 02	(05)			

Handwritten signature and notes

Handwritten signature

Handwritten signature

3	Certificate of satisfactory past performance issued by Competent Authority of relevant procuring agency for each year.					20	10	10	10
	For last 02 years (05)								
	More than 02 up to 04 years (10)								
	More than 04 years (20)					20	20	20	20
	Financial Status / Soundness:								
	i. Turn over i.e. Bank Account or through Bank Certificate								
	50 Million or above (20)								
	30 Million or above (10)								
	10 Million or above (05)								
	ii. Tax Paid for the last								
Last 3 Years = (10)									
Last 2 Years = (05)									
iii. Audit Report									
Company Audit Report					10	10	10	10	
Last 3 Years = (10)									
Last 2 Years = (05)									
GRAND TOTAL					100	70	70	70	
QUALIFYING MARKS = 65 out of 100 (65%)					100%	70%	70%	70%	
PART-B Result (Responsive/Non-responsive)					✓	✓	✓	✓	

EVALUATION OF SAMPLES AS PER ADVERTISED SPECIFICATION

NO.	NAME OF ITEMS	BRAND NAME	UNIT	SAMPLE STATUS	REMARKS
22	plastic Shopper 22"x24" as per sample	pakistan	1's	Not approved	Out-of-specs
23	White Shopper 32x36 as per sample	pakistan	1's	Approved	-
24	Red Shopper 32x36 as per sample	pakistan	1's	Approved	-

Overall Recommendation:

Handwritten signature and initials

Handwritten signature

General Store Items

Responsive items	23, 24
Non-Responsive items	22


Mr. Bilal Azam
 Account Officer
 (Member)


Mst. Maryam Iqbal
 Hospital Pharmacist
 (Member)


Mst. Aneeqa Amin
 Hospital Pharmacist
 (Member)


Ms. Amna Sajid
 Hospital Pharmacist
 (Secretary)


Mst. Komal Younas
 Hospital Pharmacist
 (Co-opt Member)


Mst. Sana Javed
 Hospital Pharmacist
 (Co-opt Member)


Mst. Zainab Safdar
 Hospital Pharmacist
 (Co-opt Member)


Mr. Rana Zain
 Store Keeper
 (End-user)


Mst. Zahida Musarrat
 Nursing Superintendent
 (End-user)


Mst. Munazza Tanvir
 Deputy Drug Controller
 (Member)

Dr. Danish
 Chairman Ortho dept
 (End user)


Dr. Ali Waheed Goraya
 Asst. Prof. of Radiotherapy
 (Member)


Prof. Dr. Inam Azmat Ullah
 Professor of Cardiac Surgery
 (Chairman)


1	Wireless Mouse (A4 Tech) G3 200N	ME FRO	1's	Approved	
2	TP Link Routers	DAHUA	1's	Approved	
3	Network Switch 8&5 ports	DAHUA	1's	Approved	
4	IMOU Ranger 2 Wifi camera (PTZ Camera)	DAHUA	1's	Approved	
5	IMOU Bullet 2C Wifi Camera (Outdoor)	DAHUA	1's	Approved	
6	IMOU Memory Card 128-GB (With Warranty)	DAHUA	1's	Approved	
7	IMOU Cruiser 4MP Wireless Camera	DAHUA	1's	Not approved	Out-of-specs
78	IMOU 32" tv CCTV Display	SAMSUNG CHINA	1's	Approved	
	Wireless Mouse (A4 Tech) G3 200N	CHINA	1's	Approved	
	TP Link Routers	TP LINK	1's	Approved	
	Network Switch 8&5 ports	CHINA	1's	Approved	
	IMOU Ranger 2 Wifi camera (PTZ Camera)	IMOU	1's	Approved	
	IMOU Bullet 2C Wifi Camera (Outdoor)	IMOU	1's	Approved	
	IMOU Memory Card 128-GB (With Warranty)	IMOU	1's	Approved	
	IMOU Cruiser 4MP Wireless Camera	IMOU	1's	Not approved	Out-of-specs

Overall Recommendation:

Responsive items

Non-Responsive items

1, 3, 5, 8, 9, 10, 12, 14, 15, 19, 25, 30, 31, 32, 33, 34, 35, 37, 39, 41, 42, 43, 44, 45, 46, 52, 53, 54, 56, 58, 59, 60, 61, 63, 70, 71, 72, 73, 74, 75, 76, 77


Mst. Maryam Iqbal
 Hospital Pharmacist
 (Member)


Mst. Aneeqa Arifin
 Hospital Pharmacist
 (Member)


Ms. Aamna Sajid
 Hospital Pharmacist
 (Secretary)


Mst. Komal Younas
 Hospital Pharmacist
 (Co-opt Member)



Mst. Zahida Musarrat
 Nursing Superintendent
 (End-user)


Mr. Rana Zain
 Store Keeper
 (End-user)


Mst. Munazza Tanvir
 Deputy Drug Controller
 (Member)


Mst. Saida Javed
 Hospital Pharmacist
 (Co-opt Member)


Mst. Aynun Saïdar
 Hospital Pharmacist
 (Co-opt Member)


Dr. Danish
 Chairman Ortho dept
 (End user)


Dr. Ali Wahed Goraya
 Asst. Prrol of Radiotherapy
 (Member)


Prof. Dr. Umera Farhat Ullah
 Professor of Cardiac Surgery
 (Chairman)

TECHNICAL EVALUATION PERFORMA
NAME OF BIDDER: M/S Sheikh Sons

Documents Required		3	4	5	7	8	10	11	13	14	15	16	17	18	19	22	23	24	29	30	31	36	38	40	52	53	54	55	56
1	Attested Copy of Computerized National Identity Card (CNIC) of authorized bidding/supervisory person of the bidder	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
2	N T N Certificate	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	G S T Reg. Certificate (where applicable)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	Bid Security (Estimated price as mentioned in tender documents, indicating the number, date and Bank (Copy must be attached with the technical bid))	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	Under Taking Certificate Regarding Black listing on the legal stamp paper of Rs 100/- or more	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6	Bid Validity Period of 180 days	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7	Signed Terms & Conditions / Bidding Documents	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PART A Result (Responsive/Non-responsive)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	

Part -B Technical Evaluation Parameters

S. No.	Parameters	Total Marks	3	4	5	7	8	10	11	13	14	15	16	17	18	19	22	23	24	29	30	31	36	38	40	52	53	54	55	56
1	Company Profile:	20	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	i. Storage Capacity																													
	ii. other facilities, e vehicles																													
2	Relevant Experience:	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	i. Government, Semi Government																													
	ii. More than 05 Institutes																													
3	Certificate of satisfactory past performance issued by Competent Authority of relevant procuring agency for each year:	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	For last 01 years (05)																													
	More than 02 up to 04 years (10)																													
4	Financial Status / Soundness:	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
	i. Turn over i.e. Bank Account or through Bank Certificate																													
	50 Million or above																													
	10 Million or above																													
	ii. Tax Paid for the last:																													
	Last 3 Years =																													
	Last 2 Years =																													
	iii. Audit Report																													
	Company Audit Report																													
	Last 3 Years =																													
Last 2 Years =																														
GRAND TOTAL			100	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
QUALIFYING MARKS = 65 out of 100 (65%)			100%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%
PART -B Result (Responsive/Non-responsive)			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	

EVALUATION OF SAMPLES AS PER ADVERTISED SPECIFICATION

NO	NAME OF ITEMS	BRAND NAME	UNIT	SAMPLE STATUS	REMARKS
3	Washing Powder (Surti) 1kg Pack	BONUS	15	Approved	
4	Cleaning Powder 500 gm pack (Vim or equivalent)	SUPER	15	Approved	
5	Soda Ash 50kg Pack	T.C.I	15	Approved	


sons
 R.F. ok
 w
 mg
 no
 ce
 B
 A


R.F. ok

15	Powder (25 Kg Bag)	LOCAL	1's	Not approved	Quality not upto mark
16	25KG Bag	LOCAL	1's	Approved	-
17	Color Bleach	SUPER	1's	Approved	-
18	Color Bleach	SUPER	1's	Approved	-
19	3 Liter Pack Perfumed	SUPER	1's	Approved	-
20	Bathroom Cleaning Acid 3 Liter Pack	LOCAL	1's	Approved	-
21	Tissue Paper Box 150x2 Ply Popup or equivalent	ROSE PETAL	1's	Approved	-
22	Broom Coir Bamboo Sticks as per sample (50kg Bag)	LOCAL	1's	Approved	-
23	Blue Dust Bin Plastic 225 liter two wheel with yellow Lid	HINO FAN	1's	Approved	-
24	Ceiling Fan 56" Pure Cooper Winding Deluxe Model or equivalent	HINAO FAN	1's	Approved	-
25	Bracket Fan 18" Plastic Body Pure Cooper Winding	LASNI PACKAGE	1's	Not approved	Quality not upto mark
26	Plastic Shopper 22" x24" as per sample	LASNI PACKAGE	1's	Not approved	Quality not upto mark
27	White Shopper 32x36 as per sample	LASNI PACKAGE	1's	Not approved	Quality not upto mark
28	Red Shopper 32x36 as per sample	LASNI PACKAGE	1's	Not approved	Quality not upto mark
29	1r Freshener 300ml (Al-Fareed) / or equivalent	SUPER	1's	Approved	-
30	Moppe Dry	SUPER	1's	Approved	-
31	Wet Moppe	SUPER	1's	Approved	-
32	Refilling of Fire Extinguisher DCP 6kg	SUPER	1's	Not provided	-
33	Mortin Spray 300ml or equivalent	B/Q	1's	Not approved	Out-of-specs
34	Telephone Set Best Quality One Year Warranty CLI	LOCAL	1's	Approved	-
35	Delta Methrin (Dengue Spray)	LOCAL	1's	Approved	-
36	Fipronil (Dengue Spray)	LOCAL	1's	Approved	-
37	Chloroperiphas (Dengue Spray)	LOCAL	1's	Approved	-
38	Zinc Phosphate (Dengue Spray)	LOCAL	1's	Approved	-
39	Steel Wiper Stander Size AS per Sample	LOCAL	1's	Approved	-

Overall Recommendation:

Responsive Items	3, 4, 5, 7, 8, 10, 11, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 29, 30, 31, 36, 38, 40, 52, 53, 54, 55, 56
Non Responsive Items	


Mst. Bilal Azam
 Account Officer
 (Member)


Mst. Maryam Iqbal
 Hospital Pharmacist
 (Member)


Mst. Aneeqa Amin
 Hospital Pharmacist
 (Member)


Ms. Rumna Sajid
 Hospital Pharmacist
 (Secretary)


Mst. Komal Younas
 Hospital Pharmacist
 (Co-opt Member)


Mst. Sajida
 Hospital Pharmacist
 (Co-opt Member)



Mst. Rainah Saïdar
 Hospital Pharmacist
 (Co-opt Member)


Mr. Rana Zain
 Store Keeper
 (End-user)


Mst. Zahida Musarrat
 Nursing Superintendent
 (End user)


Mst. Munazza Tanvir
 Deputy Drug Controller
 (Member)

Dr. Danish
 Chairman Ortho dept
 (End user)


Dr. Ahmed Goraya
 Asst. Prof of Radiotherapy
 (Member)


Prof. Dr. Insh Azmat Ullah
 Professor of Cancer Surgery
 (Chairman)